




# HOLMAN

## **Irrigation - Garden - Plumbing**

### **GARDEN LIGHTING RELAY Rollout Nov 2017**

[illegible]

Once you have switched of the power to the bay procced to the bay.

**Please switch any other lights back on again.**

## GARDEN LIGHTING RELAY SAFETY PROCEDURE



Before you start to remove any displays you will need to locate the cable to the displays and disconnect this. It easily pulls apart and as you would of already switched off the power there is no chance live lines.

Once you have disconnected the power cable you can now commence to take down the displays.

## GARDEN LIGHTING RELAY DISPLAY REMOVAL PROCEDURE

**Please note that we are only removing the bottom row of displays.**

This will require 2 people as it can be tricky to remove on your own and is not recommended.

To remove the displays you simply pick up each individual section of display (check to see if they have been screwed down) if so grab a screwdriver from the store and unscrew the displays.

Once you have removed the **bottom row of displays** them on a pallet and let the Store know that it is there responsibility to throw them out.

I am still waiting to get an official memo with directions on this matter I have been told it will be done Monday.

# INTRODUCTION OF THE NEW RANGE

5

## Ranging-in the new products & Their BLG Locations

- Once the Garden Lighting bay has been relayed to the new BLG, ensure to print and replace new shelf tickets for all the bay.
- As always these new products are to be ranged to meet Holman's high merchandising presentation standards.
- Blgs have been uploaded on the Intranet and have been sent to State Managers.

