

CIVIL CATALOGUE

DWV DRAINAGE SN8 & SN10 RUBBER RING JOINT FITTINGS FOR NON-PRESSURE SEWER APPLICATIONS



www.holmanindustries.com.au



▶ 0 f

For the #SMARTPLUMBER

PRODUCT INDEX

BENDS (ELBOWS) - UNGLASSED	4-6
JUNCTIONS - UNGLASSED	7-8
INSPECTION OPENINGS - UNGLASSED	8
LEVEL INVERT TAPERS - UNGLASSED	9
LONG SWEEP DWV SEWER BENDS	10-11
BENDS (ELBOWS) - GLASSED REINFORCED	12-13
GRP WRAPPED / 'C' TYPE DWV SEWER JUNCTIONS	14
DEEP SEWER JUNCTIONS	14
LEVEL INVERT TAPERS RRJ M&F - GLASS REINFORCED	14
INSPECTION OPENINGS - GLASS REINFORCED	15
SLIP COUPLINGS	15
MANHOLE CONNECTIONS	15-16
FULLY MOULDED RUBBER RING FITTINGS - JUNCTIONS & BENDS	17
DROP JUNCTIONS/BENDS/ VERTICAL BACKDROP ASSEMBLIES	18



OWNED B

HOLMAN

HOLMAN

THE COMPANY

Holman Industries was founded on January 4, 1966. It is still a family business and proudly Australian owned. The company is a leading supplier of plumbing fittings and watering products to the Australian market.

Holman employs over 200 staff in Australia. Head office is in Perth, Western Australia. Large distribution warehouses are located in Melbourne and Brisbane and a plumbing only warehouse is situated in Sydney. The company currently exports watering products to many countries including the USA & Europe.

Holman is dedicated to continually investing in new tooling and more product development and innovation. Holman believes in putting its customers first and offering superior service with a high level of stock support. The aim is to be your best supplier.

QUALITY

All Holman products are certified by ApprovalMark International, an Australian based Certification Body accredited by JAS-ANZ, who provides certification to all Holman plumbing products in accordance with WaterMark Certification. This provides assurance and confidence that Holman Industries only supplies products which comply to the Australian Standards and are manufactured to the highest quality. FABFIT T/A Holman Industries is a quality endorsed Company to ISO 9001 and also conducts independent batch release testing to maintain the highest level of compliance.

CUSTOM FABRICATIONS

The FABFIT and Holman Industries manufacturing facility has the capacity to manufacture special fittings and assemblies in all areas of HDPE (PE100), PP and PVC.

CERTIFICATIONS

Holman has stringent quality control programmes implemented at their manufacturing sites to ensure the quality of products supplied to our customers in the Civil Industry. Independent third party certification is undertaken by Approval Mark International JAS-ANZ Accredited.

Large range of molded and fabricated fittings certification with AS1260.

- WSAA Appraisal
- BEP Certification
- Watermark License
- Certified (Partec) & Trained Fabricators

Catalogue details shows a range of DWV SN8 & SN10 rubber ring products which are manufactured/fabricated by FABFIT, T/A Holman Industries, for sewerage non-pressure applications. Range of unglassed and glassed reinforced DWV fittings complying with AS1260 and appraisal complying with WSAA (Water Services Association of Australia).



FABFIT QMS 21388

ELBMDRRFF150X15

BENDS (ELBOWS) - UNGLASSED



15° BENDS RRJ F&F

CODE	SIZE (MM)	DESCRIPTION
ELBMDRRFF100X15	100	RRJ DWV FABFIT BEND FF UNGLASSED 100X15
ELBMDRRFF150X15	150	RRJ DWV FABFIT BEND FF UNGLASSED 150X15

OTHER SIZES AVAILABLE

30° BENDS RRJ F&F

CODE	SIZE (MM)	DESCRIPTION
ELBMDRRFF100X30	100	RRJ DWV FABFIT BEND FF UNGLASSED 100X30
ELBMDRRFF150X30	150	RRJ DWV FABFIT BEND FF UNGLASSED 150X30

OTHER SIZES AVAILABLE



ELBMDRRFF150X45

45° BENDS RRJ F&F

CODE	SIZE (MM)	DESCRIPTION
ELBMDRRFF100X45	100	RRJ DWV FABFIT BEND FF UNGLASSED 100X45
ELBMDRRFF150X45	150	RRJ DWV FABFIT BEND FF UNGLASSED 150X45
ELBMDRRFF225X45	225	RRJ DWV FABFIT BEND FF UNGLASSED 225X45

OTHER SIZES AVAILABLE

60° BENDS RRJ F&F

CODE	SIZE (MM)	DESCRIPTION
ELBMDRRFF100X60	100	RRJ DWV FABFIT BEND FF UNGLASSED 100X60
ELBMDRRFF150X60	150	RRJ DWV FABFIT BEND FF UNGLASSED 150X60



BENDS (ELBOWS) - UNGLASSED



88° BENDS RRJ F&F

CODE	SIZE (MM)	DESCRIPTION
ELBMDRRFF100X90	100	RRJ DWV FABFIT BEND FF UNGLASSED 100X90
ELBMDRRFF150X90	150	RRJ DWV FABFIT BEND FF UNGLASSED 150X90
ELBMDRRFF225X90	225	RRJ DWV FABFIT BEND FF UNGLASSED 225X90

OTHER SIZES AVAILABLE

15° BENDS RRJ M&F

CODE	SIZE (MM)	DESCRIPTION
ELBMDRRMF100X15	100	RRJ DWV FABFIT BEND MF UNGLASSED 100X15
ELBMDRRMF150X15	150	RRJ DWV FABFIT BEND MF UNGLASSED 150X15

OTHER SIZES AVAILABLE

30° BENDS RRJ M&F

CODE	SIZE (MM)	DESCRIPTION
ELBMDRRMF100X30	100	RRJ DWV FABFIT BEND MF UNGLASSED 100X30
ELBMDRRMF150X30	150	RRJ DWV FABFIT BEND MF UNGLASSED 150X30

OTHER SIZES AVAILABLE



45° BENDS RRJ M&F

CODE	SIZE (MM)	DESCRIPTION
ELBMDRRMF100X45	100	RRJ DWV FABFIT BEND MF UNGLASSED 100X45
ELBMDRRMF150X45	150	RRJ DWV FABFIT BEND MF UNGLASSED 150X45
ELBMDRRMF225X45	225	RRJ DWV FABFIT BEND MF UNGLASSED 225X45



BENDS (ELBOWS) - UNGLASSED

60° BENDS RRJ M&F

CODE	SIZE (MM)	DESCRIPTION
ELBMDRRMF100X60	100	RRJ DWV FABFIT BEND MF UNGLASSED 100X60
ELBMDRRMF150X60	150	RRJ DWV FABFIT BEND MF UNGLASSED 150X60

OTHER SIZES AVAILABLE



88° BENDS RRJ M&F

CODE	SIZE (MM)	DESCRIPTION
ELBMDRRMF100X90	100	RRJ DWV FABFIT BEND MF UNGLASSED 100X90
ELBMDRRMF150X90	150	RRJ DWV FABFIT BEND MF UNGLASSED 150X90
ELBMDRRMF225X90	225	RRJ DWV FABFIT BEND MF UNGLASSED 225X90

OTHER SIZES AVAILABLE

ELBMDRRMF100X90

JUNCTIONS - UNGLASSED

45° JUNCTIONS RRJ F&F

CODE	SIZE (MM)	DESCRIPTION
JMDRR100X100X45	100	RRJ DWV FABFIT JUNCTION FF UNGLASSED 100X100X45
JMDRR150X150X45	150	RRJ DWV FABFIT JUNCTION FF UNGLASSED 150X100X45
JMDRR150X100X45	150/100	RRJ DWV FABFIT JUNCTION FF UNGLASSED 150x150x45
JMDRR225X100X45	225/100	RRJ DWV FABFIT JUNCTION FF UNGLASSED 225X100X45
JMDRR225X150X45	225/150	RRJ DWV FABFIT JUNCTION FF UNGLASSED 225X150X45
JMDRR225X225X45	225	RRJ DWV FABFIT JUNCTION FF UNGLASSED 225X225X45
JMDRR300X100X45	300/100	RRJ DWV FABFIT JUNCTION FF UNGLASSED 300X100X45
JMDRR300X150X45	350/150	RRJ DWV FABFIT JUNCTION FF UNGLASSED 300X150X45

OTHER SIZES AVAILABLE

JMDRR150X100X45



88° JUNCTIONS RRJ F&F - SWEEP JUNCTIONS (RILEYS)

CODE	SIZE (MM)	DESCRIPTION
JMDRR100X100X90	100	RRJ DWV FABFIT JUNCTION FF UNGLASSED 100X100X90
JMDRR150X150X90	150	RRJ DWV FABFIT JUNCTION FF UNGLASSED 150X150X90

OTHER SIZES AVAILABLE





CODE	SIZE (MM)	DESCRIPTION
JMDRSC150X100X45	150/100	RRJXSWB DWV FABFIT JUNCTION UNGLASSED 150X100X45 W-CAP
JMDRSC150X150X45	150	RRJXSWB DWV FABFIT JUNCTION UNGLASSED 150X150X45 W-CAP

OTHER SIZES AVAILABLE



CODE	SIZE (MM)	DESCRIPTION
JMDRSC150X100X45	150/100	RRJXSWB DWV FABFIT JUNCTION UNGLASSED 150X100X45 W-CAP
JMDRSC150X150X45	150	RRJXSWB DWV FABFIT JUNCTION UNGLASSED 150X150X45 W-CAP

JUNCTIONS RRJ WITH SWJ BRANCH (NO CAP)

CODE	SIZE (MM)	DESCRIPTION
JMDRS150X100X45	150/100	RRJXSWB DWV FABFIT JUNCTION UNGLASSED 150X100X45
JMDRS150X150X45	150	RRJXSWB DWV FABFIT JUNCTION UNGLASSED 150X150X45



JUNCTIONS - UNGLASSED



45° JUNCTIONS RRJ M&F

CODE	SIZE (MM)	DESCRIPTION
JMDRR150X150X45MF	150	RRJ DWV FABFIT JUNCTION MF UNGLASSED 150X150X45
JMDRR150X100X45MF	150/100	RRJ DWV FABFIT JUNCTION MF UNGLASSED 150X100X45

OTHER SIZES AVAILABLE

JMDRR150X150X45MF



88° JUNCTIONS RRJ M&F - SWEEP JUNCTIONS (RILEYS)

CODE	SIZE (MM)	DESCRIPTION
JMDRR100X100X90MF	150	RRJ DWV FABFIT JUNCTION MF UNGLASSED 100X100X90
JMDRR150X150X90MF	150	RRJ DWV FABFIT JUNCTION MF UNGLASSED 150X100X90

OTHER SIZES AVAILABLE

JMDRR150X150X90MF

INSPECTION OPENINGS - UNGLASSED



INSPECTION OPENING WITH 2 CAPS F&F

CODE	SIZE (MM)	DESCRIPTION
IORR100X100U2CAP	100	100X100 INSPECTION OPENING RRJ UNGLASSED 2 CAP
IORR150X150U2CAP	150	150X150 INSPECTION OPENING RRJ UNGLASSED 2 CAP

OTHER SIZES AVAILABLE

IORR100X100U2CAP



LEVEL INVERT TAPERS - UNGLASSED

LEVEL INVERT TAPERS RRJ M&F			
CODE	SIZE (MM)	DESCRIPTION	
LITMDRRMF150X100	150/100	RRJ DWV FABFIT LIT M&F UNGLASSED 150X100	
LITMDRRMF225X150	225/150	RRJ DWV FABFIT LIT M&F UNGLASSED 225X150	
LITMDRRMF300X225	300/225	RRJ DWV FABFIT LIT M&F UNGLASSED 300X225	

LEVEL INVERT TAPERS RRJ M&F

LITMDRRMF150X100



LONG RADIUS SWEEP DWV SEWER BENDS



LONG RADIUS SWEEP 635MM RADIUS RRJ M&F

CODE	SIZE (MM)	DESCRIPTION
RR6390150MF	150	RRJ DWV SN8 BEND MF RAD 90 DEG



LONG SWEEP 3M RADIUS RRJ M&F

CODE	SIZE (MM)	DESCRIPTION
RR302150MF	150	RRJ DWV SN8 BEND MF 150MM 2.5DEG 3000R
RR305150MF	150	RRJ DWV SN8 BEND MF 150MM 5DEG 3000R
RR307150MF	150	RRJ DWV SN8 BEND MF 150MM 7DEG 3000R
RR3010150MF	150	RRJ DWV SN8 BEND MF 150MM 10DEG 3000R
RR3015150MF	150	RRJ DWV SN8 BEND MF 150MM 15DEG 3000R
RR3020150MF	150	RRJ DWV SN8 BEND MF 150MM 20DEG 3000R
RR3025150MF	150	RRJ DWV SN8 BEND MF 150MM 25DEG 3000R
RR3030150MF	150	RRJ DWV SN8 BEND MF 150MM 30DEG 3000R
RR3035150MF	150	RRJ DWV SN8 BEND MF 150MM 35DEG 3000R
RR3045150MF	150	RRJ DWV SN8 BEND MF 150MM 45DEG 3000R

RR3015150MF

OTHER DEGREES AVAILABLE

SN8 DWV 1M RADIUS SWJ F&F BENDS

CODE	SIZE (MM)	DESCRIPTION
DLR1010150	150	DWV BEND F&F 150 SN8 1000R 10DEG BEND
DLR1011150	150	DWV BEND F&F 150 SN8 1000R 11DEG BEND
DLR1015150	150	DWV BEND F&F 150 SN8 1000R 15DEG BEND
DLR1022150	150	DWV BEND F&F 150 SN8 1000R 22DEG BEND
DLR1030150	150	DWV BEND F&F 150 SN8 1000R 30DEG BEND
DLR1045150	150	DWV BEND F&F 150 SN8 1000R 45DEG BEND
DLR1090150	150	DWV BEND F&F 150 SN8 1000R 90DEG BEND

DLR1045150



OTHER DEGREES AVAILABLE



SN8 DWV 1M RADIUS RRJ M+F BENDS

CODE	SIZE (MM)	DESCRIPTION
RR105150MF	150	RRJ SN8 FABFIT BEND MF 150M 5DEG 1000R
RR1010150MF	150	RRJ SN8 FABFIT BEND MF 150M 15DEG 1000R
RR1022150MF	150	RRJ SN8 FABFIT BEND MF 150M 22DEG 1000R
RR1030150MF	150	RRJ SN8 FABFIT BEND MF 150M 30DEG 1000R
RR1045150MF	150	RRJ SN8 FABFIT BEND MF 150M 45DEG 1000R

OTHER SIZES AVAILABLE



RR1022150MF



BENDS (ELBOWS) - GLASSED REINFORCED

15° BENDS RRJ F&F

CODE	SIZE (MM)	DESCRIPTION
ELBRRFF150X15	150	RRJ DWV FABFIT BEND FF GLASSED REINFORCED 150X15

ELBRRFF150X15

ELBRRFF150X45



30° BENDS RRJ F&F

CODE	SIZE (MM)	DESCRIPTION
ELBRRFF150X30	150	RRJ DWV FABFIT BEND FF GLASSED REINFORCED 150X30

OTHER SIZES AVAILABLE

OTHER SIZES AVAILABLE



45° BENDS RRJ F&F

CODE	SIZE (MM)	DESCRIPTION
ELBRRFF100X45	100	RRJ DWV FABFIT BEND FF GLASSED REINFORCED 100X45
ELBRRFF150X45	150	RRJ DWV FABFIT BEND FF GLASSED REINFORCED 150X45
ELBRRFF225X45	225	RRJ DWV FABFIT BEND FF GLASSED REINFORCED 225X45

OTHER SIZES AVAILABLE

60° BENDS RRJ F&F

CODE	SIZE (MM)	DESCRIPTION
ELBRRFF100X60	100	RRJ DWV FABFIT BEND FF GLASSED REINFORCED 100X60
ELBRRFF150X60	150	RRJ DWV FABFIT BEND FF GLASSED REINFORCED 150X60



BENDS (ELBOWS) - GLASSED REINFORCED



88° BENDS RRJ F&F		
CODE	SIZE (MM)	DESCRIPTION
ELBRRFF100X90	100	RRJ DWV FABFIT BEND FF GLASSED REINFORCED 100X90
ELBRRFF150X90	150	RRJ DWV FABFIT BEND FF GLASSED REINFORCED 150X90
ELBRRFF225X90	225	RRJ DWV FABFIT BEND FF GLASSED REINFORCED 225X90

OTHER SIZES AVAILABLE

OTHER SIZES AVAILABLE

RRJ DWV FABFIT BEND MF GLASSED REINFORCED 150X15

ELBRRFF150X90



ELBRRMF150X15

30° BENDS RRJ M&F

15° BENDS RRJ M&F

150

ELBRRMF150X15

CODE	SIZE (MM)	DESCRIPTION
ELBRRMF100X30	100	RRJ DWV FABFIT BEND MF GLASSED REINFORCED 100X30
ELBRRMF150X30	150	RRJ DWV FABFIT BEND MF GLASSED REINFORCED 150X30

OTHER SIZES AVAILABLE

45° BENDS RRJ M&F

CODE	SIZE (MM)	DESCRIPTION
ELBRRMF100X45	100	RRJ DWV FABFIT BEND MF GLASSED REINFORCED 100X45
ELBRRMF150X45	150	RRJ DWV FABFIT BEND MF GLASSED REINFORCED 150X45
ELBRRMF225X45	225	RRJ DWV FABFIT BEND MF GLASSED REINFORCED 225X45

OTHER SIZES AVAILABLE

60° BENDS RRJ M&F

CODE	SIZE (MM)	DESCRIPTION
ELBRRMF100X60	100	RRJ DWV FABFIT BEND MF GLASSED REINFORCED 100X60
ELBRRMF150X60	150	RRJ DWV FABFIT BEND MF GLASSED REINFORCED 150X60

OTHER SIZES AVAILABLE

88° BENDS RRJ M&F

CODE	SIZE (MM)	DESCRIPTION
ELBRRMF100X90	100	RRJ DWV FABFIT BEND MF GLASSED REINFORCED 100X90
ELBRRMF150X90	150	RRJ DWV FABFIT BEND MF GLASSED REINFORCED 150X90
ELBRRMF225X90	225	RRJ DWV FABFIT BEND MF GLASSED REINFORCED 225X90

OTHER SIZES AVAILABLE





ELBRRMF150X90





ELBRRMF150X45

GRP WRAPPED / 'C' TYPE DWV SEWER JUNCTIONS

GRP WRAPPED DWV SEWER JUNCTIONS RRJ F&F

CODE	SIZE (MM)	DESCRIPTION
JSRR100X100X45	100	RRJ DWV FABFIT JUNCTION FF GLASSED REINFORCED 100X100X45
JSRR150X150X45	150	RRJ DWV FABFIT JUNCTION FF GLASSED REINFORCED 150X150X45
JSRR150X100X45	150/100	RRJ DWV FABFIT JUNCTION FF GLASSED REINFORCED 150X100X45
JSRR225X100X45	225/100	RRJ DWV FABFIT JUNCTION FF GLASSED REINFORCED 225X100X45
JSRR225X150X45	225/150	RRJ DWV FABFIT JUNCTION FF GLASSED REINFORCED 225X150X45
JSRR225X225X45	225	RRJ DWV FABFIT JUNCTION FF GLASSED REINFORCED 225X225X45
JSRR300X100X45	300/100	RRJ DWV FABFIT JUNCTION FF GLASSED REINFORCED 300X100X45
JSRR300X150X45	300/150	RRJ DWV FABFIT JUNCTION FF GLASSED REINFORCED 300X150X45

OTHER SIZES AVAILABLE

'C' TYPE DWV SEWER JUNCTIONS RRJ

CODE	SIZE (MM)	DESCRIPTION
JSRRC100X100X45	100	RRJ FABFIT JUNCTION GLASSED REINFORCED TYPE C 100X100X45
JSRRC100X100X90	100	RRJ FABFIT JUNCTION GLASSED REINFORCED TYPE C 100X100X90
JSRRC150X150X45	150	RRJ FABFIT JUNCTION GLASSED REINFORCED TYPE C 150X150X45
JSRRC150X150X90	150	RRJ FABFIT JUNCTION GLASSED REINFORCED TYPE C 150X150X90

OTHER SIZES AVAILABLE

JSRRC100X100X90

JSRR150X100X45

DEEP SEWER JUNCTIONS



CODE	SIZE (MM)	DESCRIPTION
JDSRRL100X100X90	100	RRJ DWV FABFIT DEEP SEWER JUNCTION GRP 100X100X45
JDSRRL150X100X90	150	RRJ DWV FABFIT DEEP SEWER JUNCTION GRP 150X100X45
JDSRRL150X150X90	150	RRJ DWV FABFIT DEEP SEWER JUNCTION GRP 150X150X90

OTHER SIZES AVAILABLE

JDSRRL150X100X90

LEVEL INVERT TAPERS RRJ M&F - GLASS REINFORCED

JUNCTIONS RRJ M&F		
CODE	SIZE (MM)	DESCRIPTION
LITRRMF150X100	150/100	RRJ DWV FABFIT LIT M&F GLASS REINFORCED 150X100
LITRRMF225X150	225/150	RRJ DWV FABFIT LIT M&F GLASS REINFORCED 225X150
LITRRMF300X225	300/225	RRJ DWV FABFIT LIT M&F GLASS REINFORCED 300X225

LITRRMF150X100



INSPECTION OPENINGS - GLASS REINFORCED



INSPECTION OPENINGS WITH 2 CAPS F&F

CODE	SIZE (MM)	DESCRIPTION
IORR100X100G2CAP	100	100X100 INSPECTION OPENING RRJ GLASSED 2 CAP
IORR150X150G2CAP	150	150X150 INSPECTION OPENING RRJ GLASSED 2 CAP

OTHER SIZES AVAILABLE INCLUDING 1 CAP

OTHER SIZES AVAILABLE

IORR100X100G2CAP

SLIP COUPLINGS - GLASS REINFORCED

			3
UCLASS AN SOUTHER	LIG INVENZION		
-			}

SLIP COUPLINGS

CODE	SIZE (MM)	DESCRIPTION
COUREPSLIP100		RRJ DWV FABFIT COUPLING SLIP RRJ 100
COUREPSLIP150		RRJ DWV FABFIT COUPLING SLIP RRJ 150
COUREPSLIP225		RRJ DWV FABFIT COUPLING SLIP RRJ 225
COUREPSLIP300		RRJ DWV FABFIT COUPLING SLIP RRJ 300

COUREPSLIP150

MANHOLE COUPLINGS



MANHOLE SOCKET SANDED RRJ M&F - WITH RINGS SOLID WALL SN8

COL	DE	SIZE (MM)	DESCRIPTION
FEHW	/100MF	100	FABFIT DWV 100MM MANHOLE COUPLING FITTING SANDED SOCKET W/ RINGS
FEHV	/150MF	150	FABFIT DWV 150MM MANHOLE COUPLING FITTING SANDED SOCKET W/ RINGS
FEHW	/225MF	225	FABFIT DWV 225MM MANHOLE COUPLING FITTING SANDED SOCKET W/ RINGS
FEHV	/300MF	300	FABFIT DWV 300MM MANHOLE COUPLING FITTING SANDED SOCKET W/ RINGS
FEHV	/375MF	375	FABFIT DWV 375MM MANHOLE COUPLING FITTING SANDED SOCKET W/ RINGS





MANHOLE SPIGOT SANDED RRJ M&M

CODE	SIZE (MM)	DESCRIPTION
FEH100WMM	100	FABFIT DWV 100MM MANHOLE COUPLING FITTING SANDED SPIGOT W/ RINGS
FEH150WMM	150	FABFIT DWV 150MM MANHOLE COUPLING FITTING SANDED SPIGOT W/ RINGS
FEH225WMM	225	FABFIT DWV 225MM MANHOLE COUPLING FITTING SANDED SPIGOT W/ RINGS
FEH300WMM	300	FABFIT DWV 300MM MANHOLE COUPLING FITTING SANDED SPIGOT W/ RINGS
FEH375WMM	375	FABFIT DWV 375MM MANHOLE COUPLING FITTING SANDED SPIGOT W/ RINGS



HOLMAN



MANHOLE SOCKET UNSANDED RRJ M&F

CODE	SIZE (MM)	DESCRIPTION
FEH100MF	100	FABFIT DWV 100MM MANHOLE COUPLING FITTING UNSANDED SOCKET
FEH150MF	150	FABFIT DWV 150MM MANHOLE COUPLING FITTING UNSANDED SOCKET
FEH225MF	225	FABFIT DWV 225MM MANHOLE COUPLING FITTING UNSANDED SOCKET
FEH300MF	300	FABFIT DWV 300MM MANHOLE COUPLING FITTING UNSANDED SOCKET
FEH375MF	375	FABFIT DWV 375MM MANHOLE COUPLING FITTING UNSANDED SOCKET

FEH150MF



MANHOLE SOCKET RRJ M&F - WITH SOLID WALL SN8

CODE	SIZE (MM)	DESCRIPTION
FEHWV100MF	100	FABFIT DWV 100MM MANHOLE COUPLING FITTING SANDED SOCKET
FEHWV150MF	150	FABFIT DWV 150MM MANHOLE COUPLING FITTING SANDED SOCKET
FEHWV225MF	225	FABFIT DWV 225MM MANHOLE COUPLING FITTING SANDED SOCKET
FEHWV300MF	300	FABFIT DWV 300MM MANHOLE COUPLING FITTING SANDED SOCKET
FEHWV375MF	375	FABFIT DWV 375MM MANHOLE COUPLING FITTING SANDED SOCKET

FEHWV150MF



MANHOLE SOCKET SANDED RRJ F&F - WITH SOLID WALL SN8

CODE	SIZE (MM)	DESCRIPTION
FEHWV100FF	100	FABFIT DWV 100MM MANHOLE COUPLING FITTING SANDED SOCKET
FEHWV150FF	150	FABFIT DWV 150MM MANHOLE COUPLING FITTING SANDED SOCKET
FEHWV225FF	225	FABFIT DWV 225MM MANHOLE COUPLING FITTING SANDED SOCKET
FEHWV300FF	300	FABFIT DWV 300MM MANHOLE COUPLING FITTING SANDED SOCKET
FEHWV375FF	375	FABFIT DWV 375MM MANHOLE COUPLING FITTING SANDED SOCKET

FEHWV150FF



FULLY MOULDED RUBBER RING (1 PCE) FITTINGS - JUNCTIONS & BENDS

EMRR100X45	

45° BENDS RRJ F&F

CODE	SIZE (MM)	DESCRIPTION
EMRR100X45	100	RRJ DWV SN10 BEND FF 100X45 MOULDED



43° BENDS RRJ M&F

CODE	SIZE (MM)	DESCRIPTION
EMRR100X43MF	100	RRJ DWV SN10 BEND MF 100X43 MOULDED



45° JUNCTION RRJ

CODE	SIZE (MM)	DESCRIPTION
JMRR150X100X45	150/100	RRJ DWV SN8 JUNCTION FF 150X100X45 MOULDED



DROP JUNCTIONS/BENDS/ VERTICAL BACKDROP ASSEMBLIES



VERTICAL BACKDROP ASSEMBLIES RRJ M&F

SIZE (MM) DESCRIPTION VERTBACK100X100 RRJ DWV FABFIT VERTICAL BACKDROP 100X100 VERTBACK150X150 RRJ DWV FABFIT VERTICAL BACKDROP 150X150

VERTBACK100X100

OTHER SIZES AVAILABLE



DROP JUNCTIONS RRJ M&F - GLASS REINFORCED

CODE	SIZE (MM)	DESCRIPTION
RRDJ10090MFM	100	RRJ DWV FABFIT DROP JUNCTION SN10 GRP M/F/M 100MM
RRDJ15090MFM	150	RRJ DWV FABFIT DROP JUNCTION SN10 GRP M/F/M 150MM
RRDJ22590MFM	225	RRJ DWV FABFIT DROP JUNCTION SN10 GRP M/F/M 225MM

OTHER SIZES AVAILABLE

DWV MANHOLE DROP BENDS - UNGLASSED

CODE	SIZE (MM)	DESCRIPTION
DBSEW100X90FF	100	DWV HOLMAN DROP BEND SN10 UNGLASSED F/F 100M SW5
DBSEW150X90FF	150	DWV HOLMAN DROP BEND SN8 UNGLASSED F/F 150M SW5
DBSEW225X90FF	225	DWV HOLMAN DROP BEND SN8 UNGLASSED F/F 225M SW5
DBSEW100X90MF	100	DWV HOLMAN DROP BEND SN10 UNGLASSED M/F 100M SW5
DBSEW150X90MF	150	DWV HOLMAN DROP BEND SN8 UNGLASSED M/F 150M SW5
DBSEW225X90MF	225	DWV HOLMAN DROP BEND SN8 UNGLASSED M/F 225M SW5
DBSEW225X150X90	225X150	DWV HOLMAN DROP BEND SN8 UNGLASSED M/F 225X150M SW5









CIVIL CATALO