

# HOLMAN

## EZY Spray™ 5L





## User Guide

[www.holmanindustries.com.au](http://www.holmanindustries.com.au)

# 4 Spray Additives

## Removing the Grab Handle

- Push down on the **GRAB HANDLE (M)**
- Twist *counter-clockwise* to unhook the **GRAB HANDLE** from the **PRESSURE TANK (E)**
- Pull the **GRAB HANDLE** out of the **PRESSURE TANK**
- Place the **GRAB HANDLE** somewhere clean to avoid dirt touching the lubricated **PLUNGER (N)**
- Add fertiliser or other additives to your **EzySpray®** *before* filling with water
- Optional:** To include more additive, insert the plunger to push the first shot into the tank
- Optional:** For powder additives, include a cup of water in addition to the additive
- Repeat **Steps 4c and d** as necessary to introduce more additive



## Introducing Spray Additives

- Ensure the **SPRAY HOSE (D)** is attached when removing or replacing the **GRAB HANDLE** to avoid excess additive or water squirting out of the **PRESSURE TANK** outlet
- After removing the **GRAB HANDLE**, follow your additive instructions to pour the correct amount into the **TANK OPENING (O)**



⚠  
Using a powder additive? Dissolve with a cup of water first.

- Insert the **PLUNGER** into the **TANK OPENING**, in the position shown above, push down and rotate *clockwise* to hook the **GRAB HANDLE** back into place
- Follow **Tank Filling** in **Step 5** to fill the tank with water and mix in the additive

# 5 Tank Filling

## Tank Filling

**⚠ Min. tap pressure required to fill tank: 350kPa**



- Before filling your **EzySpray®**, push excess air from your garden hose by turning on the tap
- ✓ This will stop additional air using the **EzySpray®** capacity
- Once water is flowing out, you can turn off the tap
- Locate the 12mm snap-on **HOSE CONNECTION (K)**

- Attach the **INLET VALVE CONNECTOR (P)**
- Add a standard 12mm garden hose (**Q**) onto this connection
- Ensure the **INLET VALVE (P)** is open and turn the garden hose tap on begin filling

**⚠ Watch the pressure gauge as the reservoir fills with water**

- ✓ The gauge should begin moving towards **MAX** level
- If your water source is *high* pressure, it may trigger the **PRESSURE RELEASE VALVE (L)** when full to stop your **EzySpray®** from over-pressurising:



- If your water source is *low* pressure, the **EzySpray®** will stop filling when it reaches the maximum pressure
- Once your **EzySpray®** is full, turn off your tap and close the **INLET VALVE (P)**
- Disconnect the **INLET VALVE (P)** and garden hose

- ✓ High or low pressure circumstances are fine and shouldn't damage your **EzySpray®**

**⚠ Watch for excess water from the hose when disconnecting**



**⚠ Don't leave unattended while filling!**

powder  
solve  
of  
st

## 6 Spraying


### Spray Functions

- ✓ The **SPRAY HEAD (A)** includes 4 individual spray functions: **JET**, **CONE**, **SHOWER** and **MIST**
- a. Before spraying, twist the orange section of the **SPRAY HEAD** to select the desired spray pattern



### Trigger Action

- b. To begin spraying, simply point the **SPRAY HEAD** in the desired direction and pull the orange **TRIGGER (C)** lever



## 8 Troubleshooting

### Question

**Why won't my EzySpray® work?**

**Why is the pressure gauge reading below 1 bar?**



### Answer

- ✓ Your EzySpray® may need to be re-pressurised:
- ✓ This is only necessary if the pressure is below 1 bar. It should be able to hold this minimum pressure for an extended period
- a. Locate **SCHRADER (bike) VALVE (J)** on the opposite side to the **GAUGE (I)**
- b. Unscrew the lid off the valve
- c. Attach a standard bike pump
- d. Pump air in until the gauge reads at least 1 bar
- ✓ Check the **PRESSURE GAUGE (I)** to ensure water is in the tank
- ✓ Check hose for kinks and blockages
- ✓ Check wand for blockages
- ✓ Try each setting on the spray head and check this for blockages

**Why is the pressure release valve triggered and spraying water during filling?**

- ✓ This is perfectly normal and means the tank is full of water
- ✓ Turn off your tap and disconnect your garden hose

# 7

## Flushing and Cleaning

### Spray Functions

**⚠ It is important to completely flush your EzySpray® with clean water when finished with chemical spraying**

- After you have completed your spraying job and the tank has run out, connect to a tap and refill the tank with clean water
- Point your spray wand into a bucket or anywhere you don't mind the excess fluid flowing
- Hold down the trigger and let the contents flow through until the tank is empty
- Once the tank is empty, we recommend storing your **EzySpray®** in a dry, protected space out of direct sunlight



Question	Answer
<b><i>Why is my EzySpray® hose difficult to screw onto the tank and wand?</i></b>	<ul style="list-style-type: none"> <li>✓ The hose included with your <b>EzySpray®</b> is designed for the best seal possible, which may be difficult to screw on during initial assembly</li> <li>✓ For the easiest assembly, screw the hose onto the tank outlet <i>before</i> screwing onto the spray wand</li> </ul>
<b><i>Why has the pressure gauge stopped rising while filling with water?</i></b>	<ul style="list-style-type: none"> <li>✓ The <b>EzySpray®</b> can still be used when not entirely full</li> <li>✓ It may be due to a low-pressure water source—try filling the tank elsewhere with higher water pressure</li> </ul>
<b><i>Why doesn't my garden hose fit on my EzySpray®?</i></b>	<ul style="list-style-type: none"> <li>✓ Your hose may be 18mm</li> <li>✓ Unscrew the 12mm hose connection and replace with an 18mm version</li> <li>✓ Visit <a href="http://www.holmanindustries.com.au/product/18mm-brass-sprinkler-adaptor">www.holmanindustries.com.au/product/18mm-brass-sprinkler-adaptor</a> for more info</li> </ul>
<b><i>How do I empty my EzySpray®?</i></b>	<ul style="list-style-type: none"> <li>✓ Point your spray wand anywhere you don't mind the excess fluid flowing</li> <li>✓ Hold the trigger and let the contents spray until the tank is empty</li> </ul>



Thanks for being a  
**#SMARTGARDENER**



**We really appreciate having you as a customer, and  
would like to say thank you for choosing us.**

We recommend registering your new product on our website. This  
will ensure we have a copy of your purchase and will activate  
an extended warranty. Keep up to date to with relevant product  
information and special offers available through our newsletter.



[www.holmanindustries.com.au/product-registration/](http://www.holmanindustries.com.au/product-registration/)

# HOLMAN

For the **#SMARTGARDENER**   

**Head Office/Service**  
11 Walters Drive, Osborne Park WA 6017  
Tel: +61 8 9416 9999 Fax: +61 8 9416 9920  
[support@holmanindustries.com.au](mailto:support@holmanindustries.com.au)  
[www.holmanindustries.com.au](http://www.holmanindustries.com.au)

Copyright © 2023 Holman Industries